

Catalogue

2020.03

UK's Water & Electric Underfloor Heating Supplier

FREE

NEXT WORKING DAY DELIVERY

Electric Underfloor Heating

Water Underfloor Heating

Manifolds & Pumps

Insulation Boards

Thermostats & Controls

Adhesives & Levellers

Accessories





Underfloor Heating Express is an online supplier of water and electric underfloor heating products to the trade and DIY customers across the UK. With a huge range of stock we can deliver your orders the next working day, if your order is placed by 2:00 pm Monday – Friday.

We have a dedicated team handling all enquiries, orders and accounts, in a professional and friendly manner.







Next Day Delivery

Huge Product Stock

Professional Service

WHY CHOOSE UNDERFLOOR HEATING?

There are a number of benefits that underfloor heating has over traditional heating. Because the heat rises from the floor, the whole room will heat up evenly, unlike radiators. It is environmentally friendly, healthier and can be up to 40% more energy efficient to run, saving you money on your heating bills over time. Both electric and water can be used for any room in the property. Depending on certain factors of your project, one may be better suited than the other. Take into account the size of the room, type of subfloor, power, or water sources and decide which heating option will meet your needs.

Electric Systems are available in a variety of options, including pre laid and spaced cable on a mesh mat, making installation even easier. Loose cable allows you to lay and space the cable to your desired heat output. Both options are suitable for laying underneath tiled flooring.

Our aluminium foil mat is designed to warm under laminate flooring. The cables are 2mm thin, making it perfect for installing on existing floors. The kits are easy to install, but we always recommend the use of a qualified electrician. To ensure the maximum heat, lay our XPS insulation boards on the subfloor first.

Water Systems work inconjunction with your central heating, where warm water is pushed through a system of pipes to heat up a room. Using a single length of pipe means there is less chance of a leak. As the central heating system doesn't have to heat the water to as high a temperature as a radiator, your water heating costs will be lower.

There are options of a single room, or multi room/ zone system, with each zone being able to be controlled individually.




WHICH SOLUTION SHOULD I CHOOSE?

Electric

- · Ideal for area less than 24m²
- · Ideal for single rooms
- · Great for renovations
- · Easier and cheaper to install
- · Minimal floor level increase
- · Easier to install on upper floors

Water

- Ideal for larger area over 25m²
- · Ideal for whole house
- · Great for new-builds
- · Compatible with existing central heating systems
- Extremely efficient
- · Cheaper to run





Contents

Electric UFH

Insulation

Water UFH

Thermostats

Pumps

Adhesives & Levellers

Accessories





UltraSafe Electric Under Tile Heating Mats


Included with kit:

- 1. Heat Mat
- 2. Conduit pipe 2 metre
- 3. Installation manual



- ✓ Various sizes 1m² 12m²
- ✓ Easy installation pre-spaced heater cable
- Super high tack adhesive on entire mat underside
- High quality Teflon advanced insulation
- Twin Conductor Heating Cable
- Outer & Inner insulation Advanced Fluoropolymer
- Rated Voltage: 230V
- Full earth screen providing electrical safety





Strong thin wire cable has a diameter of 2mm using fluoropolymer for BOTH inside and outer insulation

To achieve up to the maximum m^2 for 16A thermostat, 2 heatmats can be joined together parallel to the total above. Example – $16m^2 = 2x \ 8m^2$ heatmats





Buy Online: underfloorheatingexpress.com

- Underfloor heating mats are suitable for under tile
- ✓ Ideal for bathrooms, kitchens,lounges, dining Rooms



150W mats

200W mats

Size m²	Order number	Price	Order number	Price
1.0m2	heatmat150wkit-2mm-1M	£59.99	heatmat200wkit-2mm-1M	£69.99
1.5m2	heatmat150wkit-2mm-1.5M	£79.99	heatmat200wkit-2mm-1.5M	£89.99
2.0m2	heatmat150wkit-2mm-2M	£89.99	heatmat200wkit-2mm-2M	£99.99
2.5m2	heatmat150wkit-2mm-2.5M	£99.99	heatmat200wkit-2mm-2.5M	£109.99
3.0m2	heatmat150wkit-2mm-3M	£109.99	heatmat200wkit-2mm-3M	£119.99
4.0m2	heatmat150wkit-2mm-4M	£129.99	heatmat200wkit-2mm-4M	£139.99
5.0m2	heatmat150wkit-2mm-5M	£139.99	heatmat200wkit-2mm-5M	£149.99
6.0m2	heatmat150wkit-2mm-6M	£159.99	heatmat200wkit-2mm-6M	£169.99
7.0m2	heatmat150wkit-2mm-7M	£169.99	heatmat200wkit-2mm-7M	£179.99
8.0m2	heatmat150wkit-2mm-8M	£179.99	heatmat200wkit-2mm-8M	£189.99
9.0m2	heatmat150wkit-2mm-9M	£189.99	heatmat200wkit-2mm-9M	£199.99
10.0m2	heatmat150wkit-2mm-10M	£199.99	heatmat200wkit-2mm-10M	£209.99
11.0m2	heatmat150wkit-2mm-11M	£209.99	heatmat200wkit-2mm-11M	£219.99
12.0m2	heatmat150wkit-2mm-12M	£229.99	heatmat200wkit-2mm-12M	£239.99

 $Largest\ mat\ size\ is\ 12m2.\ When\ ordering\ 13m2\ or\ higher,\ you\ will\ receive\ 2\ mats\ to\ meet\ you\ required\ size.$

Large of mat of 2011 of 12 mar of a control of a control of the co				
13.0m2	heatmat150wkit-2mm-13M	£279.99	heatmat200wkit-2mm-13M	£289.99
14.0m2	heatmat150wkit-2mm-14M	£289.99	heatmat200wkit-2mm-14M	£299.99
15.0m2	heatmat150wkit-2mm-15M	£299.99	heatmat200wkit-2mm-15M	£309.99
16.0m2	heatmat150wkit-2mm-16M	£309.99	heatmat200wkit-2mm-16M	£329.99
17.0m2	heatmat150wkit-2mm-17M	£319.99	heatmat200wkit-2mm-17M	£339.99
18.0m2	heatmat150wkit-2mm-18M	£329.99	heatmat200wkit-2mm-18M	£349.99
19.0m2	heatmat150wkit-2mm-19M	£349.99		
20.0m2	heatmat150wkit-2mm-20M	£359.99		
21.0m2	heatmat150wkit-2mm-21M	£369.99		
22.0m2	heatmat150wkit-2mm-22M	£379.99		
23.0m2	heatmat150wkit-2mm-23M	£389.99		
24.0m2	heatmat150wkit-2mm-24M	£399.99		

Over these sizes, you will need 30A thermostat Or 2 standard 16A thermostats



FREE NEXT DAY DELIVERY

Electric Undertile Heating Loose Cables

Included with kit:

- 1. Cable
- 2. Conduit pipe 2 metre
- 3. Tape x 1 roll (2cm*50m)
- 4. Installation manual





Our system consists of a 230V 18W per linear metre cable which can be rolled out and to fit any shape room. Within the cable is a thin 2mm heating cable.

- ✓ Metre cable length available 11.1, 16.7, 22.2, 27.8, 33.3, 38.9, 44.4, 50, 55.5, 66.6, 77.7, 88.8, 99.9, 111, 133.2, 140, 150, 166.5, 180M
- 18 W Output per Linear Metre
- Cable Diameter: 2mm
- Max. Ambient Temp: 30°C
- Min. Installation Temp: 5°C
- Rated Voltage: 230V
- Lead Wire Length: 2.0m
- Twin Conductor Heating Cable
- Conductor Insulation Fluoropolymer






Used for:

Heating cable is ideal for Bathrooms, Kitchens, Lounges, Dining rooms and any other areas.

Cable spacing:

To achieve 100w output per sqm = 18cm
To achieve 150w output per sqm = 12cm
To achieve 200w output per sqm = 9cm



Cable Length	Order number	150w per M2	200w per M2	Price
11.1m	Loosecable11.1	1.3 m2	1 m2	£44.99
16.7m	Loosecable16.7	2 m2	1.5 m2	£49.99
22.2m	Loosecable22.2	2.6 m2	2 m2	£54.99
27.8m	Loosecable27.8	3.3 m2	2.5 m2	£59.99
33.3m	Loosecable33.3	4 m2	3 m2	£69.99
38.9m	Loosecable38.9	4.6 m2	3.5 m2	£79.99
44.4m	Loosecable44.4	5.3 m2	4 m2	£89.99
50.0m	Loosecable50	6 m2	4.5 m2	£99.99
55.5m	Loosecable55.5	6.66 m2	5 m2	£109.99
66.6m	Loosecable66.6	8 m2	6 m2	£119.99
77.7m	Loosecable77.7	9.33 m2	7 m2	£129.99
88.8m	Loosecable88.8	10.66 m2	8 m2	£139.99
99.9m	Loosecable99.9	12 m2	9 m2	£149.99
111 m	Loosecable111	13.33 m2	10 m2	£159.99
133.2m	Loosecable133.2	16 m2	12 m2	£189.99
140m	Loosecable140	16.6 m2	12.5 m2	£199.99
150m	Loosecable150	18 m2	13.5 m2	£209.99
166.5m	Loosecable166.5	20 m2	15 m2	£219.99
180m	Loosecable180	21.6 m2	16 m2	£229.99



Electric Foil Heating Mat Kit for Laminate / Wood

Suitable For Under Wood Laminate Flooring




Included with kit:

- 1. 140w Foil heating kit
- 2. Conduit pipe 2 metre
- 3. Roll of aluminium tape
- 4. Installation manual

Designed for use under laminate flooring and other floating floor applications. Within the mat is a thin 1.0 mm heating cable which is pre-woven into a 500mm wide foil mesh.

- ✓ Available in 140w/m2 output
 Various m² 1, 1.5, 2, 2.5, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12m²
- Cable Diameter: 1.0 mm
- ✓ Lead Wire Length: 3.0 m
- Rated Voltage: 230 V
- Width: 0.5 m
- Output: 140W/m2
- Cable Spacing: 50 mm (140W/m2)
- Twin Conductor Heating Cable
- Conductor Insulation Fluoropolymer
- Full earth screen providing electrical safety



Ideal for:

Bathrooms, Kitchens, Lounges, Dining Rooms



,	, 3 , 3	
Size m2	Order Code	Price
1m2	AFMAT-KIT-140W-1M	£44.99
1.5m2	AFMAT-KIT-140W-1.5M	£69.99
2m2	AFMAT-KIT-140W-2M	£79.99
2.5m2	AFMAT-KIT-140W-2.5M	£89.99
3m2	AFMAT-KIT-140W-3M	£99.99
4m2	AFMAT-KIT-140W-4M	£119.99
5m2	AFMAT-KIT-140W-5M	£159.99
6m2	AFMAT-KIT-140W-6M	£169.99
7m2	AFMAT-KIT-140W-7M	£179.99
8m2	AFMAT-KIT-140W-8M	£189.99
9m2	AFMAT-KIT-140W-9M	£199.99
10m2	AFMAT-KIT-140W-10M	£219.99
11m2	AFMAT-KIT-140W-11M	£229.99
12m2	AFMAT-KIT-140W-12M	£239.99
Largest mat size is 12m2. Wh	en ordering 13m2 or higher, you will receive 2 m	ats to meet you required size.
13m2	AFMAT-KIT-140W-13M	£289.99
14m2	AFMAT-KIT-140W-14M	£299.99
15m2	AFMAT-KIT-140W-15M	£309.99
16m2	AFMAT-KIT-140W-16M	£319.99
17m2	AFMAT-KIT-140W-17M	£339.99
18m2	AFMAT-KIT-140W-18M	£349.99
19m2	AFMAT-KIT-140W-19M	£359.99
20m2	AFMAT-KIT-140W-20M	£369.99
21m2	AFMAT-KIT-140W-21M	£379.99
22m2	AFMAT-KIT-140W-22M	£389.99
221112		
23m2	AFMAT-KIT-140W-23M	£399.99

Over these sizes, you will need 30A thermostat Or 2 standard 16A thermostats



Underfloor Heating Insulation Boards

XPS Insulation Board (1200mm x 600mm)





Size	Order Code	Price
6mm	master06xps	£3.95
10mm	master10xps	£5.20
20mm	master20xps	£8.50

- Ideal for Electric Underfloor Heating
- Thermal highly compressed boards
- Light weight, high efficiency
- Perfect for concrete or screeded floor
- ✓ Size 1200mm x 600mm (0.72m2)
- Tile/Wooden directly

Tile Backer Boards (1200mm x 600mm)

Cement Based Sandwich Board



Size	Order Code	Price
6mm	JIT06tile	£7.99
10mm	JIT10tile	£8.99

- ✓ Ideal for Electric Underfloor Heating
- Perfect for wooden subfloors (first floor rooms)
- Available in 6mm, 10mm thickness
- Premium engineered
- Cement based sandwich board



How to measure available floor space for underfloor heating?

Step 1



Measure the room size.

Step 2



Remove the total area of any permanent/fixed units or other items which would block the heat.

Step 3



Total heating area (sqm) = Total area (sqm) – Unheated area (sqm)

Step 4



Calculate 10% less for heat mat size.


Free Underfloor Heating Water System Planning and Design

Send us your floorplan via email to sales@underfloorheatingexpress.com

These can be PDF, CAD drawing, or even hand drawings.

Please Include:

- 1.Measurements, or scale of each room, such as 1:100.
- Where you would like the manifolds to be located
- 3.Clearly mark which rooms/ zones to be and NOT to be designed.
- 4.Include your contact phone number in case we require more information from you.



Why use our CAD design service?

- Design returned in 24 hours
- Easy guide to laying pipes
- Extensive knowledge
- Quotation

Alternatively, call us today and see how we can help you 020 7183 2784.

(2) BI

What will you get?

Once received, we get on and design the most suitable layout and generate a cost effective quotation for you within 24 hours. You will receive an email with full pipe layout plan in either PDF, or DWG, with the following;

- Colour coded zones
- Pipe length per zone
- Pipe spacing
- Full quotation

Initially, you will need to purchase our CAD Design service at a cost of £19.99. When placing your order over £100, after the design has been completed, your £19.99 will be deducted from the final price.



Single Zone Standard Output Kit - Covers 10m² - 100m²

Pipe Spacing - 200mm

Included with kit:

- · Grundfos Pump ('A' rated, Eurp ready)
- · Temperature Control Mixing Unit.
- · 16mm 5 Layers Pipe
- · Room Edge Insulation
- · Pipe Cutter.
- · Pipe Staple Clips
- Euroconus Connectors to connect pipe to manifold



- Supplied pre-mounted on installation brackets
- Connections are euroconus and a range of fittings are available to suit most UK pipe sizes
- Max working pressure 3 bar
- Max test pressure 10 bar
- Easy Fitting
- Thermostatic control the flow temperature of water to the underfloor heating pipe.
- ✓ Temperature range: 35°C 65°C
- Compression type connections for ease of installation















Size m2	Order Code	Price
12m2	singlekit12m	£349.99
	singlekit12m-manualdial	£369.98
	singlekit12m-lcd	£379.98
	singlekit12m-wifi1000ew	£409.98
	singlekit12m-bct	£439.98
	singlekit12m-bct-wifi	£449.98

Size m2	Order Code	Price
15m2	singlekit15m	£359.99
	singlekit15m-manualdial	£379.98
	singlekit15m-lcd	£389.98
	singlekit15m-wifi1000ew	£419.98
	singlekit15m-bct	£449.98
	singlekit15m-bct-wifi	£459.98

Size m2	Order Code	Price
17m2	singlekit17m	£369.99
	singlekit17m-manualdial	£389.98
	singlekit17m-lcd	£399.98
	singlekit17m-wifi1000ew	£429.98
	singlekit17m-bct	£459.98
	singlekit17m-bct-wifi	£469.98

Size m2	Order Code	Price
20m2	singlekit20m	£379.99
	singlekit20m-manualdial	£399.98
	singlekit20m-lcd	£409.98
	singlekit20m-wifi1000ew	£439.98
	singlekit20m-bct	£469.98
	singlekit20m-bct-wifi	£479.98

Size m2	Order Code	Price
22m2	singlekit22m	£399.99
	singlekit22m-manualdial	£419.98
	singlekit22m-lcd	£429.98
	singlekit22m-wifi1000ew	£459.98
	singlekit22m-bct	£489.98
	singlekit22m-bct-wifi	£499.98

Size m2	Order Code	Price
25m2	singlekit25m	£419.99
	singlekit25m-manualdial	£439.98
	singlekit25m-lcd	£449.98
	singlekit25m-wifi1000ew	£479.98
	singlekit25m-bct	£509.98
	singlekit25m-bct-wifi	£519.98

Size m2	Order Code	Price
27m2	singlekit27m	£439.99
	singlekit27m-manualdial	£459.98
	singlekit27m-lcd	£469.98
	singlekit27m-wifi1000ew	£499.98
	singlekit27m-bct	£529.98
	singlekit27m-bct-wifi	£539.98

Size m2	Order Code	Price
30m2	singlekit30m	£449.99
	singlekit30m-manualdial	£469.98
	singlekit30m-lcd	£479.98
	singlekit30m-wifi1000ew	£509.98
	singlekit30m-bct	£539.98
	singlekit30m-bct-wifi	£549.98







Single Zone Standard Output Kit - Covers 10m² - 100m²

Size m2	Order Code	Price
40m2	singlekit40m	£499.99
	singlekit40m-manualdial	£519.98
	singlekit40m-lcd	£529.98
	singlekit40m-wifi1000ew	£559.98
	singlekit40m-bct	£589.98
	singlekit40m-bct-wifi	£599.98

Size m2	Order Code	Price
60m2	singlekit60m	£599.99
	singlekit60m-manualdial	£619.98
	singlekit60m-lcd	£629.98
	singlekit60m-wifi1000ew	£659.98
	singlekit60m-bct	£689.98
	singlekit60m-bct-wifi	£699.98

Size m2	Order Code	Price
80m2	singlekit80m	£699.99
	singlekit80m-manualdial	£719.98
	singlekit80m-lcd	£729.98
	singlekit80m-wifi1000ew	£759.98
	singlekit80m-bct	£789.98
	singlekit80m-bct-wifi	£799.98

Size m2	Order Code	Price
100m2	singlekit100m	£849.99
	singlekit100m-manualdial	£869.99
	singlekit100m-lcd	£879.98
	singlekit100m-wifi1000ew	£909.98
	singlekit100m-bct	£939.98
	singlekit100m-bct-wifi	£949.98

Size m2	Order Code	Price
50m2	singlekit50m	£549.99
	singlekit50m-manualdial	£569.98
	singlekit50m-lcd	£579.98
	singlekit50m-wifi1000ew	£609.98
	singlekit50m-bct	£639.98
	singlekit50m-bct-wifi	£649.98

Size m2	Order Code	Price
70m2	singlekit70m	£649.99
	singlekit70m-manualdial	£669.98
	singlekit70m-lcd	£679.98
	singlekit70m-wifi1000ew	£709.98
	singlekit70m-bct	£739.98
	singlekit70m-bct-wifi	£749.98

Size m2	Order Code	Price
90m2	singlekit90m	£749.99
	singlekit90m-manualdial	£769.98
	singlekit90m-lcd	£779.98
	singlekit90m-wifi1000ew	£809.98
	singlekit90m-bct	£839.98
	singlekit90m-bct-wifi	£849.98

Choose from 5 types of thermostats



















Multiple Zone Standard Output Kit - Covers 40m² - 240m²

Included with kit:

- · Complete Manifold Kit with flow metres, temperature gauge and Pressure Gauge, pre-mounted onto installation bracket
- · Grundfos Pump ('A' rated, Eurp ready)
- · Temperature Control Mixing Unit.
- · 16mm 5 Multilayers Pipe
- · Room edge insulation
- · Pipe Cutter
- · Pipe Staple Clips
- · Euroconus Connectors to connect pipe to manifold



5 types of

thermostats

- Supplied pre-mounted on installation brackets
- Connections are euroconus and a range of fittings are available to suit most UK pipe sizes
 Choose from
- Max working pressure 3 bar
- Max test pressure 10 bar
- Easy Fitting
- Thermostatic control the flow temperature of water to the underfloor heating pipe.
- Temperature range: 35°C 65°C
- Max test pressure: 10 bar
- Compression type connections for ease of installation







LCD TOUCHSCREEN Code:lcd-thermostat









Size m2	Order Code	Kit Price	Add Actuator	Add Wiring Center	Add Actuator +Wiring Center
40m2	Multi-Kit-40M	£499.99	£529.99	£559.98	£589.98
60m2	Multi-Kit-60M	£599.99	£644.99	£659.98	£704.98
80m2	Multi-Kit-80M	£699.99	£759.99	£759.98	£819.98
100m2	Multi-Kit-100M	£799.99	£874.99	£859.98	£934.98
120m2	Multi-Kit-120M	£899.99	£989.99	£959.98	£1,049.98
140m2	Multi-Kit-140M	£999.99	£1,104.99	£1,059.98	£1,164.98
160m2	Multi-Kit-160M	£1,199.99	£1,319.99	£1,259.98	£1,379.98
180m2	Multi-Kit-180M	£1,299.99	£1,434.99	£1,359.98	£1,494.98
200m2	Multi-Kit-200M	£1,399.99	£1,549.99	£1,459.98	£1,609.98
220m2	Multi-Kit-220M	£1,599.99	£1,764.99	£1,659.98	£1,824.98
240m2	Multi-Kit-240M	£1,799.99	£1,979.99	£1,859.98	£2,039.98









Thermostats







LCD Wifi Touch Screen Thermostat



£19.99

Order Code

BYC06W

Mechanical Thermostat 3A



Big Colour Touch Screen 4.3inch Thermostat





LCD Touch Screen (Floor & Air Sensing)



Big Colour Touch Screen 4.3inch Thermostat WIFI





Buy Online:







Heatmiser UH8 - 8 Zone 230v Wiring



Actuator 230v for Underfloor Heating Manifolds



Actuator 24v for Underfloor Heating Manifolds



Order Code



Floor Temperature Sensor Probe for Thermostat



All Thermostat Above Include 1 Floor Probe

heatmiser Thermostats and controls

Heatmiser Touch Thermostat

- Programmable Touchscreen

Order Code heatmiser-touch2



Heatmiser NeoStat Programmable Thermostat- App Controllable



Order Code neow



Heatmiser neoUltra

- Colour Display Thermostat - White

Order Code neoultrawhite





Heatmiser NeoStat-E - Remote Electric Floor Heating Thermostat - App Controllable



Heatmiser neoStat-hw V2

- Hot Water Programmer

Order Code neoStat-hw





Heatmiser NeoHub Gen 2

- Neo System Gateway



£148.00

Order Code: neohub





Buy Online:

<u>underfloorheatingexpress.com</u>

Wireless Thermostat No wire needed

All Prices include VAT

Heatmiser neoAir Wireless Smart Thermostat V2 - Black



Order Code neoAirblack



Heatmiser neoAir Wireless Smart Thermostat V2 - White



Two Channel Wireless Receiver



Order Code **RFswitch**



Heatmiser UH8-RF

- 8 Zone Wireless Wiring Centre



Order Code: Heatmiser-UH8-RF




NeoHub required for all Heatmiser Neo Stat app control

Brass Underfloor Heating Manifolds Complete Kit



- · 2-12 Ports with Flow Metres and Temp Gauge
- · 12/15/16/17/20 mm Pipe Fittings Available
- · Grundfos A-Rated UPM3 High Efficiency Auto Pump
- Grundfos/Wilo A-rated Pump
- Mixer Set Blending Valve
- Thermostatic control the flow temperature of water to the underfloor heating pipe
- Temperature range: 35C 65C
- Max working pressure 3 bar
- Max test pressure: 10 bar
- Compression type connections for ease of installation
- Manifold comes with 5 years warranty



2-12 Ports Underfloor Heating Brass Manifolds + Pump Pack – Grundfos/ Wilo Pump with Mixer Set and Blending Valve





Ports	Order Code	Manifold only	Manifold Kit w/ Grundfos Pump	Manifold Kit w/ Wilo Pump
2	Brass-Manifolds-2Ports	£79.99	£284.99	£269.99
3	Brass-Manifolds-3Ports	£99.99	£304.99	£289.99
4	Brass-Manifolds-4Ports	£109.99	£314.99	£299.99
5	Brass-Manifolds-5Ports	£129.99	£334.99	£319.99
6	Brass-Manifolds-6Ports	£149.99	£354.99	£339.99
7	Brass-Manifolds-7Ports	£159.99	£364.99	£349.99
8	Brass-Manifolds-8Ports	£179.99	£384.99	£369.99
9	Brass-Manifolds-9Ports	£199.99	£404.99	£389.99
10	Brass-Manifolds-10Ports	£209.99	£414.99	£399.99
11	Brass-Manifolds-11Ports	£219.99	£424.99	£409.99
12	Brass-Manifolds-12Ports	£229.99	£434.99	£419.99



Stainless Steel Manifolds Complete Kit



- · 2-12 Ports with Flow Metres and Temp Gauge
- · 12/15/16/17/20 mm Pipe Fittings Available
- · Grundfos/ Wilo Pump
- Grundfos/Wilo A-rated Pump
- Mixer Set Blending Valve
- Thermostatic control the flow temperature of water to the underfloor heating pipe
- ✓ Temperature range: 35C 65C
- Max working pressure 3 bar
- Max test pressure: 10 bar
- Compression type connections for ease of installation
- Pump comes with 2 years manufacturer warranty

2-12 Ports Underfloor Heating S/Steel Manifolds + Pump Pack – Grundfos/ Wilo Pump with Mixer Set and Blending Valve



Ports	Order Code	Manifold only	Manifold Kit w/ Grundfos Pump	Manifold Kit w/ Wilo Pump
2	ss-Manifolds-2Ports	£89.99	£294.99	£279.99
3	ss-Manifolds-3Ports	£109.99	£314.99	£299.99
4	ss-Manifolds-4Ports	£119.99	£324.99	£309.99
5	ss-Manifolds-5Ports	£139.99	£344.99	£329.99
6	ss-Manifolds-6Ports	£159.99	£364.99	£349.99
7	ss-Manifolds-7Ports	£169.99	£374.99	£359.99
8	ss-Manifolds-8Ports	£189.99	£394.99	£379.99
9	ss-Manifolds-9Ports	£209.99	£414.99	£399.99
10	ss-Manifolds-10Ports	£219.99	£424.99	£409.99
11	ss-Manifolds-11Ports	£229.99	£434.99	£419.99
12	ss-Manifolds-12Ports	£239.99	£444.99	£429.99



Underfloor Heating Pipe

16mm x 2mm PERT-AL-PERT Underfloor Heating 5 Layers Pipe



Length	Order Code	Price
100M	pert-al-pert-100M	£60.00
200M	pert-al-pert-200M	£120.00
300M	pert-al-pert-300M	£180.00
50M	pert-al-pert-50M	£40.00
80M	pert-al-pert-80M	£50.00

- High mechanical strength and durability
- Easy to cut, bend, and fit High temperature
- ✓ High pressure and corrosion resistance
- Smooth inner surface to reduces resistance to the fluids,make heating warm up quicker
- 50 years warranty

12mmx1.6mm Pert-AL-Pert Underfloor Heating Multi Layers Pipe



Length	Order Code	Price
80M	pap12080	£60.00
160M	pap12160	£120.00

- High mechanical strength and durability
- Easy to cut, bend, and fit High temperature
- High pressure and corrosion resistance
- Smooth inner surface to reduces resistance to the fluids,make heating warm up quicker
- 1MPa (10 bar) pressure, temp. 85 degree
- 50 years warranty



PERT EVOH 16mm Pipe



Length	Order Code	Price
200M	PERTEVOH200	£110.00
400M	PERTEVOH400	£200.00

- High heat transfer
- Lightweight and easier to handle than multilayer pert-al-pert pipe
- Cannot be used above 70°c making it suited for underfloor heating
- Minimum Order 1 Coils For 200M Pipes
- Minimum Order 5 Coils Pallet Delivery For 400M Pipes

PERT EVOH 20mm Pipe 300m (Minimum 4 Coils Pallet Delivery)



Length	Order Code	Price
300M	20PERTEVOH300M	£180.00

- High heat transfer
- Lightweight and easier to handle than multilayer pert-al-pert pipe
- Cannot be used above 70°c making it suited for underfloor heating



Order Over the Phone: **020 7183 2784**



Manifold & Pump

Multi Room Pump Pack Mixing Valve Unit with Grundfos A-rated Pump

multi-grunfos-pump-pack

Order Code



- Grundfos A-rated Pump
 - Temperature range: 35C 65C
- Max working pressure: 10 bar
- Compression type connections for ease of installation
- UK Version, 230V
- Pump comes with 2 year manufacturer warranty

Wilo Multi Zone/Room Manifold Pump Pack Mixing Valve Unit

Order Code multi-wilo-pump-pack



- The Yonos PARA High Flow is a high efficiency product
- Self regulating electronic pump with Delta P variable / Delta P constant / n const
- No additional balancing needed
- Easy to install
- Short power cable with overmoulded Molex connector on demand



Blending Valve and Water Mixer with Thermostatic Control For Manifold

Order Code MultiStation



- Easy to set up with adjustable temperature range

Quick and simple installation

- Control flow temperatures to +/- 2 degrees
- Celcius even with fluctuating temp. and flow from the boiler



All Prices include VAT



Single Zone/ Room Grundfos Manifold Pump Pack Mixing Valve Unit



Order Code single-grundfos-pump-pack



- Temperature range: 35C 65C
- Max working pressure: 10 bar
- Compression type connections for ease of installation
- UK Version, 230V
- 16mm underfloor pipe connections included
- Pump comes with 2 years manufacturer warranty

Single Zone/ Room Wilo Manifold Pump Pack Mixing Valve Unit



Order Code single-wilo-pump-pack



- Temperature range: 35C 65C
- Max working pressure: 10 bar
- Compression type connections for ease of installation
- UK Version, 230V
- Pump comes with 2 year manufacturer warranty
- 16mm underfloor pipe connections

Single Zone Mixer Set Blending Valve with Thermostatic Control



Order Code SingleStation



- Compact, bolt on unit providing quick & simple installation.
- Provide controlled mixed temperature water to UFH up to 3kw
- Adjustable range of 40c to to 60c

Order Over the Phone: **020 7183 2784**



Water UFH Accessories

Ball Valves and Temperature Gauge

Order Code Ballvalve

22.99



Manifold Fill/Drain Valves With Auto Air Vent

Order Code airvent





Grundfos UPM3 Pump (A-rated)

Order Code

grundfos-upm3-pack

Auto Adapt







Wilo Yonos PICO Pump(A-Rated)

Order Code WiloPump







2-PORT MOTORISED VALVE 22MM

Order Code

mvalve-2port





Manifold Blanking Cap (Pack of 2)

Order Code blankcappair

Size:3/4"











Plastic Castellated Egg Crate Floor Panel For 15 16 17mm Pipe (Min 60 Panels)



Size: 1220mm x 820mm x 20mm

Suitable for 15mm, 16mm, and 17mm pipes

For 12mm Pipe (Min 60 Panels)

Low Profile Castellated Egg Crate Floor Panel



Suitable for 12mm pipes

Plastic Castellated Egg Crate Floor Panel For 15 16 17mm Pipe (Min 60 Panels)



Order Code cspanel-eps10mm





Size: 1220mm x 820mm x 40mm

Aluminium Single Spreader Plate (Pack of 48)

Aluminium Spreader Plate (Pack of 20)



Order Code Between spsingle48 Joist Size:140mm x 1000mm x 0.3mm

FREE NEXT DAY
DELIVERY



Order Over the Phone: 020 7183 2784

Water UFH Accessories

60mm Pipe Clips (Pack of 300 clips)

Order Code:



- ✓ Pipe size: Up to 20mm
- ✓ Width: 20mm
- ✓ Height: 60mm

£12.99

40mm Pipe Clips (Pack of 300 clips)

Order Code:

- ✓ Pipe size: Up to 20mm
- ✓ Width: 20mm
- Height: 40mm

£12.99



Clip Rails (Pack of 10)



Order Code CLIPRAILS100M



- Clip rail pipe track system is ideal when using warm water underfloor heating
- Plastic holding pins can also be used to hold the underfloor heating pipes in position
- ✓ Suitable for pipes from 14mm 22mm diameter
- Cliprail height 30mm
- Self Adhesives Strip

Flow Meter



Order Code flowmeter



Underfloor Heating Pipe Clip Tacker Gun



Order Code clipgun

£ 99.99



Buy Online: underfloorheatingexpress.com

Underfloor Heating Pipe Cutter



Order Code pipecutter

£ 10.00

50M Room Edge / Perimeter Insulation Strip



Order Code: edge50

Size: 5mm x 100mm x 50metre



Solid Floor Routed XPS Panel Board For 16 / 15 mm Underfloor Heating Pipe



Pipe Spacing	Order Code	Price	
150mm	ROUTE150mm	£11.99	
200mm	ROUTE200mm	£11.99	

- ✓ The dimensions of each board are 0.72m2
- √ 1200mm x 600mm x 25mm
- High compressive strength, low moisture absorbance, excellent thermal performance.
- Lightweight and strong.

Solid Floor Routed XPS Panel Board For 12mm Underfloor Heating Pipe



- ✓ The boards have 150mm centres, providing an even distribution of heat.
- High compressive strength, low moisture absorbance, excellent thermal performance.
- Lightweight and strong.
- 50 years warranty



Order Over the Phone:

020 7183 2784



Accessories

Eurocone Pipe Connectors For Manifold



Eurocone Pipe Connectors Price

Size	Number	Order Code	Price
12mm	Pack of 2	euroconn12-1.6-pk2	£4.99
	Pack of 2	euroconn12-pk2	£4.99
15mm	Pack of 2	euroconn15-pk2	£4.99
16mm	Pack of 2	euroconn16-pk2	£4.99
17mm	Pack of 2	euroconn17-pk2	£4.99
20mm	Pack of 2	euroconn20-pk2	£4.99

UFH Pipe Coupling



16mm x 16mm Coupling

Order Code coup1616



16mm x 15mm Reducer Coupling

Order Code coup1615-pipe



16mm x 1/2" Connector/ Coupling (Pair)



Order Code zl-9205b-Pair

Manifold Extension Coupling (Pair)



Order Code manifold-coupling

17.99

16mmx15mm Reducer Coupling - UFH Pipe To Copper Pipe



coup1615-copper

Buy Online: underfloorheatingexpress.com

Adhesives & Levellers

UltraTileFix ProRapid Set Flexible Tile Adhesive 20kg bag



Grey
Order Code:
prors20-grey

£ 19.99

White

Order Code:

£ 21.99

(Pallet Delivery/ 54 bags)

Order Code: PRORS20pallet

£564.99

Ultra Floor- Prime IT - Multi Surface Primer 1L



Order Code ultramsp1

£ 9.99

Ultra Tile Fix Pro Level One Self Levelling Compound 20kg



1 BAG

Order Code: prolevelone

£ 25.99

(Pallet Delivery/ 54 bags)

Order Code: prolevelonepallet

£524.99

Ultra Floor- Prime IT - Multi Surface Primer 5L



Order Code ultramsp

£ 39.99

Flexible Two Part Self Levelling Compound 20kg bag/ 4 Litre Bottle



Order Code: prolevel2 £ 31.99

Pallet Delivery/

Order Code: prolevel2pallet

£739.99

Ultra Tile Fix Flexible Grout - 3kg Bag



Order Code flexgrout





Order Over the Phone:

020 7183 2784





Technical Team

Our technical team are able to take your drawing and advise the most suitable layout and cost effective solution. We can usually provide a detailed quotation within 2 working days, allowing you to have a speedy delivery. This service is available for projects of all sizes, from a single room, to multiple property new build.

Delivery

We offer all our customers FREE, FAST delivery service to mainland UK (except pallet service) (excluding delivery to Northern Ireland, Channel Islands and Scottish Highlands, although chargable delivery is available). To qualify for free delivery, orders must be placed by 1:30pm Monday to Friday.

Deliveries are made using our courier partners, offering our customers a one hour delivery notification period, meaning you don't have to wait in all day! Provide us with your mobile telephone number, or email address when ordering and you will receive a tracking number to follow the progress of your order. If not convenient, you can change the date, or arrange to leave with neighbour by replying to the text, or email.

Returns / Exchange Policy

Our Returns and Exchange Policy is set out to provide our customers a simple and clear procedure and is as follows;

We must be notified of any damages, defects or shortages within 7 days of receiving your goods via email (to provide both parties of written notification).

Any unwanted items or items ordered incorrectly must be returned within 30 days of delivery. All returns must be sent back with a copy of the original invoice. Unwanted goods, exchanges and refunds must be returned in its original condition. Any items found used, or damaged cannot be refunded. Refunds will be processed within 14 days of receiving and inspecting goods.

We cannot refund Self Levelling Compounds, or Tile Adhesive, or accessories sent as part of a kit. All return postage costs must be paid by the customer. We suggest sending items via courier, or recorded delivery, to ensure it is signed for on return. If items are sent back as damaged, we will refund postage on receipt of payment.

Why buy from Underfloor Heating Express?

- Price match offer
- Technical advice
- Friendly service
- · High quality products
- Up to 50 year warranty on many products
- Products CE certified to meet with UK and EU standards





























VISIT OUR WEBSITE
WWW.UNDERFLOORHEATINGEXPRESS.COM